

Exposénr.: EBM-BM2000D-220103
Blow Moulding 2000 D

Exposé-Details	
Hersteller / manufacturer	Blow Moulding s.r.l.
Maschinentyp / machine type	BM 2000 D
Stationen / stations	Doppel / Double
Baujahr / built	2002
Standort / location	Europa/ Europe
Steuerungsart / control system	Original control (Microset)
Extruder/ extruder	70/24D
Schlauchkopf / parison head	2-fach 130 (Sichtstreifen) / 2-fold 130 (viewstripe) or Einfachkopf mit Sichtstreifen/ Single head with viewstripe
Formplattenmaße/ Mould platen sizes (mm)	290 x 380
Flaschenvolumen Max. / bottle volume max.	2 Lit.
Schließkraft/ clamping force	55 kN
Bildschirmsprache / monitor language	Englisch/ English
Zubehör/ accessories	Lecktester/ leak tester (2x) Entbutzstation/ deflashing unit



CONTINUOUS EXTRUSION BLOW MOULDING MACHINE FOR PVC/PE/PP

<i>Dismantled</i>	No
<i>Trial possible</i>	Yes
<i>In production</i>	Yes

Manufacturer	Blow Moulding s.r.l.
Modelo	BM 2000 D
Year	2002
Serial no	540081
Material type	PP/PE
Blown container size	2000 cc
Container size (max)	2 l
Number of heads	2
Center distance (mm)	130
Number of stations	2
Mould platen sizes (mm)	290 x 380
Opening stroke (mm)	385
Clamping force (KN)	5,5
Output capacity (Kg/h)	80
No. Of extruders	1
Screw diameter (mm)	70
L/D	24
Wall thickness control	Yes, 300 points
Deflashing unit	Yes
Leak tester	Yes, 2
Installed power (kW)	75
Average consumption (kW)	75
Machine dimensions (LxWxH)	3200x5000x3100

CE certified?	Yes, 18.12.2002
Machine manuals	yes

Auxiliaries	
Moulds	
<ul style="list-style-type: none"> - Single head + head for visa stripe + extruder for visa stripe - Double head + 2 heads for visa stripe + 1 exstruder for visa stripe 	